

C-I-L

Ammunition and Firearms



# CANADIAN INDUSTRIES LIMITED

SHOTGUNS



FRANCHI



FUSILS

PRICES/PRIX


Model Modèle	Grade & Weight Catégorie	Type Type	Chambered For Chambré Pour	No. of shots No. de coups	Gauge, Barrel, Choke Combinations Ensembles: Calibre, Canon et Choke	Suggested Retail Suggéré au Détail
48 A	Plain Barrel 7½ lbs.	Automatic Take down	2¾ in.	5	12 ga. 28" Mod. 12 ga. 28" Full 12 ga. 30" Full	172.95
48 AV	VENT RIB Barrel 7 lbs. 12 oz.	Automatic Take down	2¾ in.	5	12 ga. 26" Imp. Cyl. 12 ga. 28" Mod. 12 ga. 28" Full 12 ga. 30" Full	198.95
48 AVH	Hunter Special VENT RIB 7 lbs. 12 oz.	Automatic Take down	2¾ in.	5	12 ga. 30" Full 20 ga. 28" Full	224.95
48 AL	Plain Barrel 12 ga. 6¼ lbs. 20 ga. 5½ lbs.	Automatic Take down	2¾ in.	5	12 ga. 28" Mod. 12 ga. 30" Full 20 ga. 28" Mod. 20 ga. 28" Full	162.75
48 ALV	VENT RIB Barrel 12 ga. 6½ lbs. 20 ga. 5¾ lbs.	Automatic Take down	2¾ in.	5	12 ga. 24" Imp. Cyl. 12 ga. 26" Imp. Cyl. 12 ga. 28" Mod. 12 ga. 30" Full 20 ga. 26" Imp. Cyl. 20 ga. 28" Mod. 20 ga. 28" Full	188.75
48 ALVH	Hunter Special VENT RIB 12 ga. 6½ lbs. 20 ga. 5¾ lbs.	Automatic Take down	2¾ in.	5	12 ga. 30" Full 20 ga. 28" Full	214.95
48 AM	Magnum Plain Barrel 12 ga. 8 lbs. 20 ga. 6 lbs.	Automatic Take down	3 in.	4	12 ga. 30" Full 12 ga. 32" Full 20 ga. 28" Full	180.95
48 AMV	Magnum VENT RIB Barrel 12 ga. 8½ lbs. 20 ga. 6½ lbs.	Automatic Take down	3 in.	4	12 ga. 30" Full 12 ga. 32" Full 20 ga. 28" Full	206.95
48 AS	Big Game Slug Gun Rifle Type Sights 7¼ lbs.	Automatic Take down	2¾ in.	5	12 ga. 22"	203.75
1000 Field	Standard 7¼ lbs.	Over and Under	2¾ in.	2	12 ga. 26" Imp. Cyl. and Mod. 12 ga. 30" Mod. and Full	292.75
1000 Super Field	Deluxe 7¼ lbs.	Over and Under	2¾ in.	2	12 ga. 26" Imp. Cyl. and Mod. 12 ga. 30" Mod. and Full	331.75
1000 Skeet	Deluxe 7½ lbs.	Over and Under	2¾ in.	2	12 ga. 28" SK 1 and SK 2	365.50
1000 Trap	Deluxe 8¼ lbs.	Over and Under	2¾ in.	2	12 ga. 30" Mod. and Full 12 ga. 30" Imp. Mod. and Full Standard Trap or Monte Carlo Stock	365.50


INSERT FOR PRICE LIST NO. 23 DATED JANUARY 17th, 1967. — AJOUTÉ À NOTRE LISTE DE PRIX DATÉ DU 17 JANVIER, 1967.

THE PRICES SHOWN INCLUDE 12% FEDERAL SALES TAX, BUT DO NOT INCLUDE ANY OTHER FEDERAL, PROVINCIAL OR MUNICIPAL TAX WHICH MAY BE APPLICABLE.

CES PRIX COMPRENNENT LA TAXE FÉDÉRALE DE 12%, MAIS N'INCLUENT AUCUNE AUTRE TAXE FÉDÉRALE, PROVINCIALE OU MUNICIPALE, EXIGIBLE.

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL	MODEL	DESCRIPTION	HOWDEN NUMBER	DEALER	RETAIL
<b>C-I-L</b>								
167	.22 Single Shot	801-1009	29.95	48A	Auto. Std. Pl. 12-30-F	801-2296		174.95
125	.22 Bolt Action Clip Rep.	801-1090	44.95	48A	Auto. Std. Pl. 12-28-F	801-2304		174.95
180	.22 Single Shot Target W/S	801-1082	64.95	48A	Auto. Std. Pl. 12-28-M	801-2312		174.95
190	.22 Single Shot Target W/S	801-1108	84.95	48AV	Auto. Std. Vent 12-30-F	801-2338		201.95
109S	.22 Single Shot Target W/S	801-1116	109.95	48AV	Auto. Std. Vent 12-28-F	801-2346		201.95
				48AV	Auto. Std. Vent 12-28-M	801-2353		201.95
				48AVH	Auto. Hunter Vent 12-30-F	801-2429		227.95
310	.22 Bolt Action Rep. Clip	801-1124	65.95	48AL	Auto. Lgt. Wt. Pl. 12-30-F	801-2072		164.95
68 Std.	.22 Auto. 'Franchi' Tube	801-2148	69.95	48AL	Auto. Lgt. Wt. Pl. 12-28-M	801-2080		164.95
68 Del.	.22 Auto. 'Franchi' Tube	801-2155	84.95	48AL	Auto. Lgt. Wt. Pl. 20-28-F	801-2098		164.95
68 S.Del.	.22 Auto. 'Franchi' Tube	801-2163	107.95	48AL	Auto. Lgt. Wt. Pl. 20-28-M	801-2130		164.95
300	.22 Auto Anschutz Clip	801-2114	56.95	48ALV	Auto. Lgt. Wt. Vent 12-30-F	801-2213		191.95
830	.222 Bolt Action Clip Rep.	801-1249	87.95	48ALV	Auto. Lgt. Wt. Vent 12-28-M	801-2221		191.95
830	.30-30 Bolt Action Clip Rep.	801-1256	87.95	48ALV	Auto. Lgt. Wt. Vent 12-26-IC	801-2239		191.95
900	.222 Bolt Action Clip Rep.	801-1272	146.95	48ALV	Auto. Lgt. Wt. Vent 20-28-F	801-2254		191.95
				48ALV	Auto. Lgt. Wt. Vent 20-28-M	801-2262		191.95
				48ALV	Auto. Lgt. Wt. Vent 20-26-IC	801-2270		191.95
				48ALVH	Auto. Hunter Ltwt Vent 12-30F	801-2452		217.95
950	.308 Bolt Action Clip Rep.	801-1215	155.95	48ALVH	Auto. Hunter Ltwt Vent 20-28F	801-2460		217.95
950	7m/m Mag. Bolt Action Clip R	801-1223	169.95	48AM	Auto. Magnum Pl. 12-30-F	801-2379		183.95
950C	.243 Bolt Action Clip Rep.	801-1264	172.95	48AM	Auto. Magnum Pl. 20-28-F	801-2387		183.95
950C	.270 Bolt Action Clip Rep.	801-1280	172.95	48AMV	Auto. Magnum Vent 12-30-F	801-2395		209.95
950C	.30-06 Bolt Action Clip Rep.	801-1355	172.95	48AMV	Auto. Magnum Vent 20-28-F	801-2411		209.95
402	Single Shot 12-30-F	801-1397	36.95	1000	O & U Field 12-30-F & M	801-0787		292.75
402	Single Shot 16-28-F	801-1413	36.95	1000	O & U Field 12-26-IC & M	801-1983		292.75
402	Single Shot 20-28-F	801-1421	36.95	1000	O & U Super - Field 12-30-F&M	801-0761		331.75
402	Single Shot 28-28-F	801-1439	36.95	1000	O & U Super - Field 12-26-ICM	801-1975		331.75
402	Single Shot 410-28-F	801-1454	36.95	1000				
607	Pump Shotgun Pl. 12-30-F	801-1389	97.95	1000	O & U Skeet 12-28-SK & SK	801-0753		365.50
607	Pump Shotgun Pl. 12-28-F	801-1322	97.95	1000	O & U Trap Reg. 12-30-F & M	801-0779		365.50
607	Pump Shotgun Pl. 12-28-M	801-1363	97.95	1000	O & U Trap Reg. 12-30-F & IM	801-1991		365.50
607	Pump Shotgun Pl. 20-28-F	801-1405	97.95	1000	O & U Trap MC 12-30-F & M	801-1967		365.50
607	Pump Shotgun Pl. 410-26-F	801-1447	97.95	1000	O & U Trap MC 12-30-F & IM	801-2015		365.50
621	Pump Shotgun Vent 12-30-F	801-1603	116.95	1000	O & U Light - Field 12-30-F&M	801-0712		265.00
621	Pump Shotgun Vent 12-28-F	801-1520	116.95	1000	O & U Light - Field 12-26-IC&M	801-0720		265.00
621	Pump Shotgun Vent 12-28-M	801-1561	116.95	1000	O & U Light - Field 20-28-F&M	801-0738		265.00
621	Pump Shotgun Vent 12-26-IC	801-1488	116.95	1000	O & U Light - Field 20-26-IC&M	801-0746		265.00
621	Pump Shotgun Vent 20-28-F	801-1686	116.95					
621	Pump Shotgun Vent 20-26-IC	801-1645	116.95					
621	Pump Shotgun Vent 410-26-F	801-1728	116.95					
710	Double Barrel Pl. 12-30-F&M	801-1843	117.95					
710	Double Barrel Pl. 12-28-F&M	801-1769	117.95					
710	Double Barrel Pl. 20-28-F&M	801-1926	117.95					
710	Double Barrel Pl. 410-28-F&F	801-1942	117.95					
725	Double Barrel Vent 12-30-F&M	801-2064	172.95					
725	Double Barrel Vent 410-26-M & IC	801-2056	172.95					





## Hot tip for big-game men

### THE EXCLUSIVE NEW "SABRETIP" BULLET HAS A NYLON TIP FOR SMOOTH CHAMBERING

"Design a bullet that has a tough point yet will mushroom reliably at all hunting ranges." That was the challenging assignment we handed our ballistics research people. This is the result. The new Dominion "Sabretip" . . . a major advance in bullet design! Rough handling, recoil in magazines, even feeding through military type actions designed for "hard point" bullets can't damage this tough nylon point. It's as strong as a rugged copper point yet mushrooms



as effectively as a soft point bullet, at all ranges. Smooth feeding. Flat shooting. Deadly accurate!

Prove it. We did, in extensive field and laboratory tests. The verdict: "one of the best bullets for big-game hunting in North America." Try a box of "Sabretip" bullets. Available in 270 Winchester—150 grains; in 30-30 Winchester—150 and 170 grains; in 30-06 Springfield, 300 Savage, 303 British and 308 Winchester—150 and 180 grains; in 300 Winchester Magnum—180 grains and in 32 Winchester special—170 grains.

## Franchi Shotguns

### Custom Quality Since 1868

The world's fastest firing shotguns. Nine models with the following barrel combinations:

Model 48A: Plain 12/28" mod. or full, 12/30" full.

Model 48AV: Vent. rib. 12/26" imp. cyl., 12/28" mod. or full, 12/30" full.

Model 48AVH: Vent. rib. 12/30" full.

Model 48AL: Plain 12/28" mod., 12/30" full, 20/28" mod. or full.

Model 48ALV: Vent. rib. 12/24" imp. cyl., 12/26" imp. cyl., 12/28" mod., 12/30" full, 20/26" imp. cyl., 20/28" mod., 20/28" full.

Model 48ALVH: Vent. rib. 12/30" full, 20/28" full.

Model 48AM: Plain 12/30" full, 12/32" full, 20/28" full.

Model 48AMV: Vent. rib. 12/30" full, 12/32" full, 20/28" full.

Model AS: 12/22" for Slug Gun only.

Dimensions for all automatic models: Stock length 14", drop at comb 1 1/2", drop at heel 2 1/4", Overall length 43"-51".

#### Over and Under Shotguns



##### MODEL 1000 FIELD

Selective single trigger and auto. ejectors. Satin epoxy finish, hand checkering. Automatic safety. 12 gauge only, 26" barrels, modified and improved cylinder, 30" barrels modified and full choke.

##### MODEL 1000 SUPER FIELD

As above with special engraving, stock and fore end from selected walnut.



##### MODEL 1000 SKEET

Special wide rib for fast, accurate sighting. Beautifully engraved, stock and fore end from selected walnut. Unique beavertail fore-end design. Non-automatic safety, 8-step hardened receiver. Available in 12 gauge only, 28" barrels, SK #1 and SK #2 chokes.



##### MODEL 1000 TRAP

Special features as skeet grade above. Available in 12 gauge, 30" barrels, improved modified and full, modified and full. Standard or Monte Carlo stocks available.

#### Over and Under Shotguns

Four models, two Field grade, a Skeet and a Trap model.

Model 1000 Field and Super Field: Weight 7 1/4 lbs., length 43 1/2"-47 1/2", Stock: length of pull 14", drop at comb 1 1/2", drop at heel 2 1/4".

Model 1000 Skeet: Weight 7 1/2 lbs., length 45 1/2". Stock: length of pull 14 1/2", drop at comb 1 1/2", drop at heel 2 1/4".

Model 1000 Trap: Weight 8 1/4 lbs., length 47 3/4". Standard stock: length of pull 14 3/8", drop at comb 1 1/2", drop at heel 1 1/4". Available with Monte Carlo stock.

All Franchi guns have chrome plated barrels for better patterns, resistance to rust, erosion, leading, fouling and wear.

## G-66 GUN CARE AND HUNTING ACCESSORIES

These fine G-66 products are now available through C-I-L.



### SOLID GUN BLUE CREME

First major improvement in gun blue in 50 years. Produces a rich, dark, even blue, never streaks or spots and won't rub off or discolour. Packaged in unbreakable jars, cannot spill, break or spoil.



### GUN BLUE PASTE

Improved formula paste in easy-to-use tubes. The easy way to a really professional finish.

### GUN BLUE STICK

Instant blueing in pack-along tubes specially designed for touching-up small nicks and scratches.

### LIQUID GUN BLUE

For those who prefer a liquid, G-66 Liquid Gun Blue makes blueing simple and effective.



### GUN DE-GREASER

Spray on G-66 Gun De-Greaser and wipe grease away. Apply before blueing for a really even finish. Packaged in easy-to-use aerosol spray.

## C-I-L centre fire and rim fire rifles

### CENTRE FIRE RIFLES



#### MODEL 950-C\* NEW—Detachable Clip

Custom grade, hi-power rifle in 243 Win., 270 Win., 30-06 Sprg, 308 Win. Detachable clip magazine holds 4 cartridges, plus one in chamber. Chromemoly steel 22" barrel. Overall length 43". Weight 7 lbs. Selected walnut Monte Carlo type stock with roll over cheek piece. Checked pistol grip and fore-end. Receiver tapped for aperture sights and top-mount scopes. **ALSO AVAILABLE—MODEL 950** As above in all calibres plus 7 mm. Rem. Mag. Staggered box type magazine holds 4 cartridges (3 in 7 mm. Mag.) plus one in chamber.



#### MODEL 900

Custom grade hi-power rifle in 222 Rem. calibre. Detachable 3-shot clip magazine plus one cartridge in chamber. Barrel 24". Length 43". Weight 6 1/4 lb. Hand-checkered French walnut stock with hand-carved, roll-over cheek piece. Receiver drilled and tapped for top mount scope or aperture sight.



#### MODEL 830

Hi-power rifle in 222 Rem. and 30-30 Win. calibres. Clip magazine holds 4 cartridges in 222, 3 cartridges in 30-30, plus one in chamber. Barrel: 22-24", 30-30-20". Length 38"-42". Weight 6 1/4 lb. Walnut finish stock with whiteline pistol grip cap and butt plate. Receiver drilled and tapped for side mount scopes. Checked pistol grip and fore-end.

### RIM FIRE RIFLES



#### MODEL 233 NEW IMPROVED

Automatic with clip magazine. Chambered for 22 Long Rifle cartridges. Barrel 20". Length 40". Weight 5 1/2 lbs. Walnut finish one-piece stock with fluted comb. Pistol grip and white-line butt plate. Sporting foresight; open rear sight with elevator. Receiver grooved for instant scope mounting.



#### MODEL 266 NEW IMPROVED

Automatic with tubular magazine holding 15 cartridges, chambered for 22 Long Rifle. Barrel 20". Length 40". Weight 5 3/4 lbs. Walnut finish one-piece stock with fluted comb. Pistol grip and white-line butt plate. Sporting foresight; open rear sight with elevator. Receiver grooved for instant scope mounting.



#### MODEL 167 NEW

Deluxe bolt action, single shot rifle chambered for 22 Long Rifle, Long or Short cartridges. Barrel 22". Length 39". Weight 4 1/2 lbs. Walnut finish Monte Carlo type stock with pistol grip. Special hooded foresight; open adjustable rear sight. Loading platform. Receiver grooved for scope mounting. Double extractors.




#### MODEL 125

Bolt action with clip magazine. Chambered for 22 Long Rifle, Long or Short cartridges. Barrel 22". Length 39". Weight 4 1/2 lb. Walnut Monte Carlo type stock with pistol grip. Special hooded foresight; open adjustable rear sight. Receiver grooved for scope mounting.



#### MODEL 180

Bolt action, single shot rifle chambered for 22 Long Rifle, Long or Short cartridges. Barrel 24". Length 42". Weight 5 1/2 lb. Walnut finish Monte Carlo type stock with pistol grip. Hooded aperture foresight; rear adjustable peep sight. Receiver grooved for scope, drilled and tapped for micrometer peep sight. Adjustable trigger. Recommended for "Dominion Marksmen" sporting rifle competition.



#### MODEL 190-S

Bolt action, single shot target grade rifle chambered for 22 Long Rifle cartridges only. Barrel 24". Length 42". Weight 7 1/2 lb. Monte Carlo stock with cheek-piece and high straight comb. Contoured, checked pistol grip. Beavertail fore-end with long rail. Adjustable non-slip butt plate. Redfield globe front sight and Redfield Olympic target rear sight. (Model 190 supplied with .325 dovetail front sight base). Receiver grooved, drilled and tapped for micrometer sights. 3 lb. single stage adjustable trigger.



#### MODEL 310

Deluxe bolt action repeater chambered for 22 Long Rifle, Long or Short cartridges. Barrel 22". Length 42". Weight 5 3/4 lb. Walnut Monte Carlo type stock with cheek piece and pistol grip. Bead front sight; open adjustable rear sight. Receiver grooved for scope mounting. Adjustable trigger.

### GUN TREATMENT

The most complete gun care product available. Cleans: solvents remove all trace of rust, leading and fouling. Lubricates: lubricants insure perfect firing even at 50° below zero, will not oxidize, evaporate or leave any sticky residue. Preserves: magnetic film covers all metal parts, prevents pitting and corrosion from weather conditions, even salt water spray. Packaged in three kit sizes.



*The same complete treatment as above packaged in the handypack-along kit size.*

### SILICONE GUN MITT

Easy way to care for guns. Cleans, polishes, protects. This slip-on mitt displaces moisture, removes marks, prevents rust and corrosion and polishes all metal and wood surfaces.

### SPRAY GRIP

Aerosol Spray Grip enables the sportsman to maintain a firm grip. Prevents slipping or fumbling.

### GUN SIGHT BLACK

Eliminates glare on pistol and rifle sights. In pocket size aerosol.

### DEER LURE

The pungent odour of ripe apples proves appealing to deer, moose, caribou, etc. Obscures human odour and helps lure from as far as 2 miles. In pocket size aerosol cans.

### WATERPROOFING

G-66 Fabric Waterproofing in aerosol spray cans provides long-lasting, really effective proofing. Lasts through repeated washing yet lets fabric breathe. G-66 Leather & Boot Weatherproofing completely proofs yet does not impair breathing and keeps leather flexible at extremely low temperatures.

\*Model 950-C—Available for shipment 1st May.

# Fine Quality Firearms . . .

Whether you want a 22 for small game or target shooting, a centre fire hunting rifle, or a fast-handling shotgun, you'll find it in the selection provided by C-I-L.

All firearms are backed by the famous C-I-L name—your guarantee of outstanding quality and high performance.

## ... and Accessories

The convenience of additional clips, and the accuracy of an especially fine micrometer peep sight will enhance your enjoyment of these fine C-I-L Firearms.

### Clip Magazines:

Model 125—5 and 10 shot  
Model 212—5 and 8 shot  
Model 233—5 and 8 shot  
Model 310—5 and 10 shot  
Model 830—3 shot for 30-30 cal.

Model 830—4 shot for 222 cal.  
Model 900—3 shot for 222 cal.  
Model 950-C—4 shot all cal.

### Micrometer Peep Sight:

Model 180

Available through your local dealer.



## C-I-L shotguns



### MODEL 402\* NEW IMPROVED

Single shot takedown model in 12, 16, 20, 28 and 410 gauge. Chambered for all 2 3/4" shells except 410 which is 3". Full choke, 30" barrel in 12 gauge; 28" in all other gauges. Length 44"-46". Special wood stock with white line fore-end spacer and butt plate. Grooved fore-end. Automatic ejectors.



### MODEL 401

Single shot takedown model in 12, 16, 20, 28 and 410 gauge. Chambered for all 2 3/4" shells except 410 which is 3". Full choke, 30" barrel in 12 gauge; 28" in all other gauges. Length 44"-46". "Imbuia" wood stock with grooved fore-end.



### MODEL 607

Slide action repeater in 12, 20 and 410 gauge. Chambered for all 2 3/4" and 3" shells. In five combinations of gauge, barrel length and choke—12/30" full, 12/28" modified, 12/28" full, 20/28" full, and 410/26" full. Hammerless, side ejection action. Four shot magazine, with 3" shells one less. Length 45 1/2"-47 1/2". Weight 7 lb. Walnut finish stock with pistol grip.



### MODEL 621

Deluxe slide action repeater with ventilated rib in 12, 20 and 410 gauge. Chambered for all 2 3/4" and 3" shells. Available as 12/26" improved cylinder, 12/28" modified or full, 12/30" modified and full, 20/26" improved cylinder, 20/28" full, 410/26" full. Hammerless, side ejection action. Magazine takes four 2 3/4" shells or three 3" shells. Length 45"-49". Weight 7 1/4 lb. Walnut finish stock, full pistol grip.



### MODEL 710


Standard double barrel hammerless, in 12, 20 and 410 gauge. The 12 gauge is chambered for all 2 3/4" shells; 20 and 410 gauge for 3" shells. Available as 12/28" modified and full, 12/30" modified and full, 20/28" modified and full, 410/28" full and full. Length 43 3/4"-45 3/4", taken down 28"-30". Weight: 12 gauge 7 lb., 20 and 410 gauge 6 1/2 lb. Checkered walnut finish stock and fore-end, matted rib.




### MODEL 725

Deluxe double barrel hammerless, in 12, 20, and 410 gauge. The 12 gauge is chambered for all 2 3/4" shells; 20 gauge for 2 3/4" and 3" magnum; 410 gauge for 3". Available as 12/28", modified and full, 12/30" modified and full, 20/28" modified and full, 410/26" full and full, modified and improved cylinder. Length 41 1/4"-45 3/4", taken down 28"-30". Weight: 12 gauge 7 lb., 20 gauge 6 1/2 lb., 410 gauge 6 lb. Checkered walnut stock and fore-end. Raised ventilated rib. Automatic ejectors.

## A complete line of quality C-I-L Shotshells in all gauges and shot sizes




### 'IMPERIAL' SPECIAL LONG RANGE



### 'IMPERIAL' MAGNUM



### 'IMPERIAL' SPECIAL LONG RANGE RIFLED SLUGS



### 'MAXUM' LONG RANGE



### 'CANUCK'



### C-I-L TARGET LOADS



GA. Brand	Code	Shell Length in inches (a)	Drams equiv.	Shot oz.	Shot sizes
<b>'IMPERIAL' SPECIAL LONG RANGE</b>					
12 'Imperial' Special Long Range	IL	2 3/4	Max.	1 1/4	BB, 2, 4, 5, 6, 7 1/2
16 'Imperial' Special Long Range	IT	3 1/4	1 1/8		BB, 2, 4, 5, 6, 7 1/2
20 'Imperial' Special Long Range	IM	2 3/4	1		BB, 2, 4, 5, 6, 7 1/2
28 'Imperial' Special Long Range	IZ	2 3/4	3/4	2, 4, 6, 7 1/2, 9	2, 4, 6, 7 1/2, 9
410 'Imperial' Special Long Range	IR	2 1/2	Max.	1/2	4, 5, 6, 7 1/2, 9, 12
<b>'IMPERIAL' MAGNUM</b>					
12 'Imperial' Magnum	PX	3	4 1/2	1 1/8	BB, 2, 4, 6
12 'Imperial' Magnum	IP	3	4 1/4	1 1/8	BB, 2, 4, 5, 6
12 'Imperial' Magnum	LX	2 3/4	4	1 1/2	BB, 2, 4, 5, 6
16 'Imperial' Magnum	TX	2 3/4	3 1/2	1 1/4	BB, 2, 4, 5, 6
20 'Imperial' Magnum	IH	3	3 1/4	1 1/4	2, 4, 5, 6, 7 1/2
20 'Imperial' Magnum	MX	2 3/4	3	1 1/8	2, 4, 6
410 'Imperial' Magnum	IQ	3	Max.	3/4	4, 5, 6, 7 1/2, 9
<b>BUCK SHOT LOADS</b>					
12 'Imperial' Special Long Range	IL	2 3/4	Max.	34 (b)	AAA
12 'Imperial' Special Long Range	IL	2 3/4	Max.	12 (b)	SSG
12 'Imperial' Magnum	LX	2 3/4	Max.	12 (b)	Special SSG
12 'Imperial' Magnum	PX	3	Max.	15 (b)	Special SSG
16 'Imperial' Special Long Range	IT	2 3/4	3/4	12 (b)	SG
20 'Imperial' Special Long Range	IM	2 3/4	2 1/2	20 (b)	AAAA
28 'Imperial' Special Long Range	IZ	2 3/4	Max.	1 (b)	Slug
<b>'POLY-KOR' SLUG LOADS (c)</b>					
12 'Imperial' Special Long Range	IL	2 3/4	Max.	1	Stabilized Slug
<b>RIFLED SLUG LOADS</b>					
16 'Imperial' Special Long Range	IT	2 3/4	Max.	7/8	Rifled Slug
20 'Imperial' Special Long Range	IM	2 3/4	Max.	7/8	Rifled Slug
28 'Imperial' Special Long Range	IZ	2 3/4	Max.	1/2	Rifled Slug
410 'Imperial' Special Long Range	IR	2 1/2	Max.	7/8	Rifled Slug
<b>'MAXUM' LONG RANGE</b>					
12 'Maxum' Long Range	LL	2 3/4	3 1/4	1 1/4	BB, 2, 4, 5, 6, 7 1/2
<b>'CANUCK'</b>					
10 'Canuck' Standard	DSO	2 3/4	4 1/4	1 1/4	BB, 2, 4, 5, 6
12 'Canuck' Heavy	DN	2 3/4	3 1/2	1 1/8	BB, 2, 4, 5, 6, 7 1/2
12 'Canuck' Standard	DA	2 3/4	3 1/4	1 1/8	BB, 2, 4, 5, 6, 7 1/2, 9
16 'Canuck' Standard	DT	2 3/4	2 1/2	1	BB, 2, 4, 5, 6, 7 1/2, 8, 9
20 'Canuck' Standard	DM	2 3/4	2 1/4	7/8	2, 4, 5, 6, 7 1/2, 8
<b>C-I-L TARGET LOADS</b>					
12 C-I-L Target Load	JX	2 3/4	3	1 1/4	7 1/2, 8, 9
12 C-I-L Target Load	JX	2 3/4	2 1/4	1 1/8	7 1/2, 8, 9
12 C-I-L Target Load	JE	2 3/4	2 1/2	1 1/2	8
12 C-I-L Target Load	JXP	2 3/4	3 1/4	1 1/4	7 1/2, 8
12 C-I-L Target Load	JP	2 3/4	3 1/4	1 1/4	7 1/2
20 C-I-L Target Load	JM	2 3/4	7/8	9	
28 C-I-L Target Load	JZ	2 3/4	7/8	9	
410 C-I-L Target Load	JR	2 1/2	7/8	9	

(a) Shotshell Length = full length of shell when crimp has been opened out. Do not use a shell longer than the chamber of your gun.

(b) Number of pellets by actual count.

(c) 'Poly-Kor' Slug & Rifled Slug Loads are packed 5 to a box and 500 to a case. All other shotshells are packed 25 to a box and 500 to a case.

(d) C-I-L Target loads coded JX are loaded with "Ram-Wads".





### 'Poly-Kor' the slug that streaks straight for the target.

The 'POLY-KOR' slug has a patented *compensating core* of C-I-L polythene which cushions and protects the slug from distortion as it is accelerated through the barrel and choke. The slug emerges stabilized, streaks straight for the target without wobbling or tumbling in flight.

### 'IMPERIAL' RIFLED AND 'POLY-KOR' SLUG SHOTSHIELDS


Gauge and type	Weight Ounces	Velocity		Energy		Mid-range trajectory
		Feet per Second	Muzzle	100 Yards	Muzzle	
'Poly-Kor' 12	1	1600	950	2485	875	0.6" 3.1"
Rifled Slugs						
16	7/8	1600	950	2175	765	0.6" 3.1"
20	5/8	1600	950	1555	550	0.6" 3.1"
28	1/2	1600	950	1245	440	6.0" 3.1"
410	1/2	1830	1025	650	205	0.4" 2.5"

# A complete line of rim fire cartridges for rifles, pistols, and revolvers



Description	Velocity	Lubricant	Bullet		Velocity Feet per Second		Energy Foot-Lbs.		Mid-Range Trajectory in inches for range of 100 Yds.
			Type (Lead)	Weight Grains	Muzzle	100 Yards	Muzzle	100 Yards	
22 BB CAP 'SUPER-CLEAN'	Standard	Graphite	Solid	18	780	-	24	-	-
22 BB CAP 'SUPER-CLEAN' For 22 calibre single shot rifles, pistols, and revolvers.	Standard	Graphite	Solid	28	1000	-	62	-	-
22 SHORT (NON-SPASHING GALLERY) (ELEY)	Low	-	Solid	29	1045	865	70	48	4.8
Manufactured specially for shooting galleries. For 22 calibre single shot and repeating rifles, pistols, and revolvers.									
22 SHORT 'CANUCK'	Standard	Dry Lub.	Solid	40	1145	975	116	84	4.0
For 22 calibre single shot, repeating and autoloading rifles, pistols, and revolvers.									
22 LONG RIFLE 'CANUCK'	Standard	Grease	Solid	40	1145	975	116	84	4.0
For all standard 22 calibre long rifle single shot, repeating and autoloading rifles, pistols, and revolvers.									
22 LONG RIFLE 'CANUCK'	Standard	Dry Lub.	Solid	40	1145	975	116	84	4.0
For all standard 22 calibre long rifle single shot, repeating and autoloading rifles, pistols, and revolvers.									
22 SHORT 'IMPERIAL'	High	Dry Lub.	Solid	29	1125	920	81	54	4.3
For all standard 22 calibre single shot, repeating and autoloading rifles, pistols, and revolvers designed for high velocity cartridges.									
22 SHORT 'IMPERIAL' MUSHROOM	High	Dry Lub.	Hollow Point	27	1155	920	80	51	4.2
For all standard 22 calibre single shot, repeating and autoloading rifles, pistols, and revolvers designed for high velocity cartridges.									
22 LONG 'IMPERIAL'	High	Dry Lub.	Solid	29	1240	965	99	60	3.8
For all standard 22 calibre single shot and repeating rifles, pistols, and revolvers chambered for long rifle cartridges.									
22 LONG RIFLE 'IMPERIAL'	High	Dry Lub.	Solid	40	1335	1045	158	97	3.3
For all standard 22 calibre long rifle single shot, repeating and autoloading rifles, pistols, and revolvers designed for high velocity cartridges.									
22 LONG RIFLE 'IMPERIAL' MUSHROOM	High	Dry Lub.	Hollow Point	36	1365	1040	149	86	3.3
For all standard 22 calibre long rifle single shot, repeating and autoloading rifles, pistols, and revolvers designed for high velocity cartridges.									
22 LONG RIFLE C-I-L MATCH	Low	Grease	Solid	40	-	-	-	-	-
For all standard 22 calibre long rifle single shot and repeating rifles, pistols, and revolvers, but particularly for match rifles.									
22 LONG RIFLE C-I-L PISTOL MATCH	Low	-	Solid	40	-	-	-	-	-
For all 22 calibre long rifle, single shot and autoloading pistols, and revolvers, particularly those used in match pistol shooting.									
22 WINCHESTER RIM FIRE (W.R.F.) 'CANUCK'	Standard	Graphite	Solid	45	1105	955	122	91	4.0
For Winchester Model 1890 and Remington Models 12 CS and 121 S repeating rifles; Winchester, Remington, and Stevens single shot rifles; also Colt revolvers chambered for this cartridge.									
22 WINCHESTER AUTOMATIC 'CANUCK'	Standard	Graphite	Solid	45	1055	930	111	86	4.6
For Winchester Model 1903 autoloading rifles.									
25 STEVENS SHORT 'CANUCK'	Standard	Internal	Solid	65	945	845	129	103	5.6
For Marlin, Stevens, Coey, Remington, and Winchester single shot rifles.									
25 STEVENS LONG 'CANUCK'	Standard	Internal	Solid	65	1130	985	184	140	3.8
For Marlin, Stevens, Coey, Remington, and Winchester single shot rifles; also Stevens and Marlin repeating rifles.									
32 SHORT 'CANUCK'	Standard	Dry Lub.	Solid	80	945	840	158	125	5.3
For the various revolvers, single shot pistols and single shot rifles of this calibre; also Marlin Model 1892 repeating rifle.									
32 LONG 'CANUCK'	Standard	Dry Lub.	Solid	80	1050	900	195	144	4.5
For revolvers, single shot pistols and single shot rifles of this calibre; also Marlin Model 1892 repeating rifle.									

# 'Dominion' centre fire pistol and revolver cartridges



Description	Bullet		Velocity Ft./Sec. Muzzle	Energy Ft./Lbs. Muzzle
	Type	Wt. Grs.		
25 (6.35 MM) AUTOMATIC	MC	50	810	73
For autoloading pistols designated 25 Auto., 25 Colt Auto., 25 ACP or 6.35 mm Browning.				
32 SMITH & WESSON	Lead	85	705	94
For Smith & Wesson revolvers designated 32 S & W, 32 S & W Long, 32 Police Positive or 32 Pocket Positive.				
32 SMITH & WESSON LONG	Lead	98	780	132
For Smith & Wesson revolvers designated 32 Long or in other revolvers designated 32 S & W Long, 32 Police Positive or 32 Pocket Positive. Note:—Interchangeable with 32 Colt New Police.				
32 SHORT COLT	Lead	80	795	112
For revolvers designated 32 Short Colt, 32 Long Colt or Calibre 320. May also be used in Marlin Model 1892 rifles.				
32 (7.65 MM) AUTOMATIC	MC	71	960	145
For autoloading pistols designated 32 Auto., 32 Colt Auto., 32 ACP or 7.65 mm Browning. Note:—Not interchangeable with 7.65 mm Luger.				
357 MAGNUM	MP	158	1400	690
For revolvers designated 357 Magnum.				
9 MM LUGER	MC	124	1120	345
For 9 mm German Luger Automatic pistols and other autoloading pistols chambered for the 9 mm Luger cartridge. Note:—(1) Not interchangeable with 9 mm Browning or other 9 mm ammunition. (2) Do not use 9 mm Sten Gun (Military) Cartridges in your pistol.				
9 MM LUGER (POLICE)	MC	124	1120	345
For 9 mm Sten Gun and other autoloading sub-machine guns chambered for the 9 mm Luger cartridge.				
38 SMITH & WESSON	Lead	145	685	152
For revolvers designated 38 S & W, 38 Police Positive, 38 Bankers' Special or British Service Revolver No. 2. Note:—Interchangeable with 38 Colt New Police.				
38 SPECIAL (LEAD)	Lead	158	855	255
For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.				
38 SPECIAL (METAL POINT)	MP	158	855	255
For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.				
38 SPECIAL HIGH VELOCITY POLICE	Lead	158	1090	415
For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for the 357 Magnum cartridge. Note:—Use only in revolvers in good repair.				
38 SPECIAL PISTOL MATCH	WC	148	770	195
For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.				
45 COLT	Lead	250	855	410
For revolvers designated 45 calibre.				
45 AUTOMATIC	MC	230	850	370
For autoloading pistols designated 45 ACP, 45 Automatic Colt, 45 Automatic Colt Government Model, 45 Colt Automatic Government Model.				
455 COLT	Lead	265	770	349
For revolvers designated 455, 455 Eley, 455 Webley MK II or British Service Revolver No. 1.				

# Pistol and revolver bullet types for every need



**Lead:** Long-time favourite for police work and target shooting. Available in 32 Smith & Wesson, 32 Smith & Wesson Long, 32 Short Colt, 38 Smith & Wesson, 38 Special, 45 Colt and 455 Colt.



**Wad Cutter:** Sharp shouldered bullet designed for outstanding accuracy in target shooting. Cuts a clean hole in the target to make scoring easier. Loaded in 38 Special calibre at reduced velocity for minimum recoil and muzzle flip.



**Metal Point:** Special police bullet for high velocity 357 Magnum and 38 Special cartridges. Provides maximum penetration of steel, iron and other metals.



**Metal Cased:** Provides maximum penetration and trouble-free functioning in autoloading pistols. Available in 25 Automatic, 32 Automatic, 9 mm Luger and 45 Automatic calibres.



**38 Special High Velocity Police:** A special design with power and flat nose construction to suit the needs of law enforcement agencies.

# 'Dominion' centre fire cartridges in all popular calibres, bullet weights and types

## BALLISTICS AND RANGE TABLES

### BALLISTICS

Description	Bullet		Velocity in Feet per Second					Muzzle	Energy in Foot Pounds																		
	Wt. Grains	Type	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.		100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.	First Crosses Line of Sight App.Yds.	50 Yds.	75 Yds.	100 Yds.	125 Yds.	150 Yds.	200 Yds.	250 Yds.	300 Yds.	400 Yds.	500 Yds.			
22 HORNET	45	PSP	2690	2030	1510	1150	-	-	410	230	130	-	-	0.0	⊕	7.0	29.0	-	+1.5	-	-	⊕	-4.0	-	-	-	
For rifles designated 22 Hornet, 5.6 x 35 R or 22 x 36 HO.																											
22 SAVAGE	70	PSP	2800	2440	2110	1840	-	-	925	690	525	-	-	0.0	⊕	4.5	25.0	-	-	+2.0	-	-	⊕	-4.5	-	-	-
For rifles designated 22 Savage or 22 High Power.																											
222 REMINGTON	50	PSP	3200	2600	2170	1750	-	-	785	520	340	-	-	0.0	⊕	3.5	30.0	-	-	+2.0	-	-	⊕	-3.5	-	-	-
For rifles designated 222 Remington.																											
243 WINCHESTER	75	PSP	3500	3070	2660	2290	1960	1670	2040	1570	1180	875	640	465	-0.3	⊕	2.5	30.0	-	-	+2.5	-	-	⊕	-3.0	-15.5	-36.5
For rifles designated 243 Winchester.	100	PSP	3070	2790	2540	2320	2120	1940	2090	1730	1430	1190	995	835	-0.3	⊕	3.0	27.5	-	-	+3.0	-	-	⊕	-3.5	-16.5	-35.5
244 REMINGTON	75	PSP	3500	3070	2660	2290	1960	1670	2040	1570	1180	875	640	465	-0.3	⊕	2.5	30.0	-	-	+2.5	-	-	⊕	-3.0	-15.5	-36.5
For rifles designated 244 Remington.																											
6.5 x 53 MM MANNLICHER-SCHOENAUER	160	SP	2160	1950	1750	1570	-	-	1350	1090	875	-	-	0.3	⊕	7.5	25.5	-	+1.5	-	-	⊕	-4.0	-	-	-	
For sporting and military rifles of the Mannlicher-Schoenauer Model 1903 pattern. This calibre is also designated as 6.5 x 53 M-Sch., 6.5 x 54 M-Sch., or 6.7 mm M-Sch.																											
Note:—Not interchangeable with other types of 6.5 mm ammunition.																											
6.5 x 55 MM	160	SP	2420	2190	1960	1760	1580	1420	2080	1700	1360	1110	885	715	0.3	⊕	6.5	21.0	-	-	+3.5	-	-	⊕	-5.0	-13.0	-39.0
For use in 6.5 x 55 mm Norwegian Krag and Swedish Mauser rifles or others designated as 6.5 x 55 mm.																											
Note:—Not interchangeable with other types of 6.5 mm ammunition.																											
25-20 WINCHESTER	86	SP	1460	1180	1030	940	-	-	200	170	-	-	2.0	⊕	24.0	16.0	+2.0	-	⊕	-4.0	-	-	-	-	-	-	-
For rifles designated 25-20 Winchester, 25-20 W.C.F., 25-20 Marlin or 25-20.																											
Note:—Not for use in revolvers.																											
25-35 WINCHESTER	117	SP	2300	1910	1600	1340	-	-	1370	945	665	465	-	-	0.2	⊕	7.5	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-
For rifles designated 25-35 Winchester or 25-35 W.C.F.																											
250 SAVAGE	100	PSP	2820	2460	2140	1870	-	-	1760	1340	1020	775	-	-	0.0	⊕	4.0	27.5	-	-	+2.0	-	-	⊕	-3.5	-	-
For rifles designated 250 Savage or 250-3000 Savage.																											
257 ROBERTS	117	PSP	2650	2280	1950	1690	-	-	1820	1350	985	740	-	-	0.0	⊕	5.0	24.0	-	-	+2.5	-	-	⊕	-4.5	-	-
For rifles designated 257 Roberts.																											
270 WINCHESTER	100	PSP	3480	3070	2690	2340	2010	1700	2690	2090	1600	1215	890	640	-0.3	⊕	2.0	31.5	-	-	+2.5	-	-	⊕	-3.5	-14.5	-33.5
For rifles designated 270 Winchester or 270 W.C.F.	130	PSP	3140	2850	2580	2320	2090	1860	2840	2340	1920	1550	1260	1000	-0.2	⊕	2.5	27.5	-	-	+3.0	-	-	⊕	-4.0	-16.0	-35.5
130 ST	3140	2850	2580	2320	2090	1860	1860	2840	2340	1920	1550	1260	1000	-0.2	⊕	2.5	27.5	-	-	+3.0	-	-	⊕	-4.0	-16.0	-35.5	
160 KKSP	2800	2530	2280	2050	1840	-	2790	2270	1850	1490	1200	-	-0.2	⊕	4.5	28.5	-	-	+2.0	-	-	⊕	-4.0	-	-25.0		
7 x 57 MM MAUSER	139	PSP	2800	2500	2240	1990	1770	1580	2420	1930	1550	1220	965	770	-0.4	⊕	3.5	27.0	-	-	+4.0	-	-	⊕	-4.5	-18.5	-41.0
For rifles designated 7 mm Mauser or 7 x 57.	160	KKSP	2650	2330	2040	1780	1550	1350	2500	1930	1480	1130	855	645	-0.2	⊕	4.5	29.0	-	-	+2.5	-	-	⊕	-4.0	-	-28.5
KKSP—'Kling-Kor' Soft Point PSP—Pointed Soft Point SP—Soft Point CPE—Copper Point Expanding MC—Metal Cased (Hard Point) PNEU—Pneumatic HP—Hollow Point ST—'Sabretip'	Color indicates weight of bullet illustrated																										

RANGE TABLE—VALUES SHOWN IN THIS TABLE ARE BASED ON A SIGHT HEIGHT 1½" ABOVE LINE OF BORE

Comparative Performance. Figures below are for a sight-setting of 100 yards and permit a comparison of trajectories up to 200 yards.

RECOMMENDED SIGHTING: ⊕ Indicates the most favourable sighting range in order to minimize the sighting problem at shorter and longer ranges.  
+ Indicates inches high; - Indicates inches low.

## 'Dominion' centre fire bullet types



'Sabretip': A thick-jacketed bullet with a tough, durable nylon tip that will not deform on feeding. Unique construction ensures smooth chambering, excellent expansion and fine accuracy. One of the best bullets for big game hunting in North America.




'Kling-Kor' Soft Point: Unseen notches securely grip bullet core; act as barbs to arrest any tendency to strip or disintegrate on impact with target. Thin tongues of lead extruded through notches provide locking action at exact moment it is most needed.



# 'Dominion' centre fire cartridges continued

## BALLISTICS AND RANGE TABLES



### BALLISTICS

Description	Wt. Grains	Type	Velocity in Feet per Second						Energy in Foot Pounds						Inches High 50 Yds.	Sighted in at 100 Yds.	Inches Low 200 Yds.	First Crosses Line of Sight App.Yds.	50 Yds.	75 Yds.	100 Yds.	125 Yds.	150 Yds.	200 Yds.	250 Yds.	300 Yds.	400 Yds.	500 Yds.			
			Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.																	
7 MM REMINGTON MAGNUM	175	SP	3070	2720	2400	2120	1870	1640	3660	2870	2240	1750	1360	1040	0.2	⊕	3.5	25.0	-	-	-	+3.5	-	-	⊕	-4.0	-18.0	-43.0			
30-30 WINCHESTER	150	PNEU	2410	2020	1700	1430	-	-	1930	1360	960	680	-	-	0.2	⊕	7.0	27.0	-	+1.5	-	-	⊕	-4.0	-	-	-	-	-		
30 REMINGTON	170	KKSP	2220	1890	1630	1410	-	-	1860	1350	1000	750	-	-	0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	-		
30-40 KRAG	170	ST	2220	1890	1630	1410	-	-	1860	1350	1000	750	-	-	0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	-		
30-06 SPRINGFIELD	170	MC	2220	1890	1630	1410	-	-	1860	1350	1000	750	-	-	0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	-		
300 WINCHESTER MAGNUM	170	ST	2410	2020	1700	1430	-	-	1930	1360	960	680	-	-	0.2	⊕	7.0	27.0	-	+1.5	-	-	⊕	-4.0	-	-	-	-	-		
300 HOLLAND & HOLLAND MAGNUM	170	KKSP	2120	1820	1560	1350	-	-	1700	1250	920	690	-	-	0.4	⊕	9.0	20.0	-	+2.0	-	-	⊕	-5.0	-	-	-	-	-		
300 SAVAGE	170	CPE	2470	2120	1830	1590	1400	-	2440	1790	1340	1010	785	-	0.0	⊕	6.0	21.0	-	-	+3.0	-	-	⊕	-5.5	-	-41.0	-	-	-	
303 SAVAGE	170	ST	2700	2330	2010	1740	1520	-	2910	2170	1610	1210	920	-	0.0	⊕	5.0	24.0	-	-	+2.5	-	-	⊕	-4.0	-	-32.5	-	-	-	
303 BRITISH	170	KKSP	2700	2370	2040	1760	1520	1340	-	2910	2170	1610	1210	920	1190	0.0	⊕	4.5	21.0	-	-	+4.0	-	-	⊕	-4.5	-	-20.5	-46.0	-	-
303 SAVAGE	170	ST	2700	2370	2040	1760	1520	1340	-	2910	2170	1610	1210	920	1190	0.1	⊕	4.5	20.0	-	-	+4.0	-	-	⊕	-4.5	-	-21.0	-48.5	-	-
308 WINCHESTER	170	KKSP	2410	2120	1870	1670	1480	-	2830	2190	1710	1360	1070	-	0.1	⊕	6.0	21.0	-	-	+3.0	-	-	⊕	-5.5	-	-41.0	-	-	-	
308 WINCHESTER	170	PSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-39.0	-	
308 WINCHESTER	170	ST	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	27.5	-	-	-	-	-	⊕	-3.5	-	-14.5	-	-32.5	-	
308 WINCHESTER	170	CPE	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	KKSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	ST	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	PSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	KKSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	ST	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	CPE	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	KKSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	ST	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	PSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	KKSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1	⊕	3.0	25.0	-	-	-	-	-	⊕	-4.0	-	-17.5	-	-32.5	-	
308 WINCHESTER	170	ST	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	-0.1																

# 'Dominion' centre fire cartridges continued

## BALLISTICS AND RANGE TABLES

### BALLISTICS

Description	Bullet		Velocity in Feet per Second					Muzzle	Energy in Foot Pounds					Inches High 50 Yds.	Sighted in at 100 Yds.	Inches Low 200 Yds.	First Crosses Line of Sight App. Yds.	50 Yds.	75 Yds.	100 Yds.	125 Yds.	150 Yds.	200 Yds.	250 Yds.	300 Yds.	400 Yds.	500 Yds.		
	Wt. Grains	Type	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.		100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.																
32 WINCHESTER SPECIAL	170	KKSP	2280	1920	1630	1410	-	-	1960	1390	1000	750	-	-	0.3	⊕	8.0	23.0	-	+2.0	-	-	⊕	-4.5	-	-	-	-	
32 WINCHESTER SPECIAL	170	ST	2280	1920	1630	1410	-	-	1960	1390	1000	750	-	-	0.3	⊕	8.0	23.0	-	+2.0	-	-	⊕	-4.5	-	-	-	-	
Note:—Not interchangeable with 32-20 Winchester.																													
32 REMINGTON	170	KKSP	2120	1800	1540	1340	-	-	1700	1220	895	680	-	-	0.5	⊕	9.0	20.0	-	+2.0	-	-	⊕	-5.0	-	-	-	-	
32-40 WINCHESTER	170	KKSP	1540	1340	1170	1050	-	-	895	680	515	415	-	-	1.0	⊕	18.5	21.0	+1.0	-	⊕	-2.5	-	-	-	-	-	-	-
32-40 WINCHESTER	200	SP	2100	1710	1390	1160	-	-	1950	1300	865	605	-	-	0.5	⊕	10.5	19.5	-	+2.5	-	-	⊕	-6.0	-	-	-	-	
35 REMINGTON	180	SP	1850	1560	1310	1140	-	-	1370	975	685	520	-	-	0.8	⊕	14.0	16.0	-	+3.0	-	-	⊕	-7.5	-	-	-	-	
35 WINCHESTER SELF-LOADING	200	KKSP	2530	2210	1910	1640	1400	-	2840	2160	1610	1190	870	-	0.1	⊕	6.0	20.5	-	-	+3.0	-	-	⊕	-5.0	-	-38.5	-	
358 (8.8 MM) WINCHESTER	180	SP	1330	1070	960	850	-	-	705	455	370	290	-	-	2.5	⊕	29.0	14.5	+2.5	-	⊕	-4.0	-	-	-	-	-	-	-
38-40 WINCHESTER	255	SP	1600	1410	1240	1110	-	-	1450	1130	880	700	-	-	1.0	⊕	17.0	13.5	-	+4.0	-	-	⊕	-8.5	-	-	-	-	
38-55 WINCHESTER	385	LEAD	1360	1150	1030	940	-	-	1360	1130	910	750	-	-	2.0	⊕	24.0	16.0	+2.0	-	⊕	-3.5	-	-	-	-	-	-	-
43 (11 MM) MAUSER	200	SP	1310	1050	940	830	-	-	760	490	390	305	-	-	3.0	⊕	30.0	12.5	+3.0	-	⊕	-4.5	-	-	-	-	-	-	-
43 (11 MM) MAUSER	240	SP	1850	1450	1150	980	-	-	1820	1120	710	510	-	-	1.4	⊕	15.5	13.0	-	+4.5	-	-	⊕	-8.0	-	-	-	-	
44-40 WINCHESTER																													
44 REMINGTON MAGNUM																													
44-40 WINCHESTER																													
44 REMINGTON MAGNUM																													

### Miscellaneous items and special ammunition

C-I-L also manufactures blank cartridges, blank shotshells, shot cartridges, 'Super-Clean' primers and empty primed shotshells. Included are:

#### BLANK SHOTSHIELDS

10 gauge with black powder  
12 gauge with black powder  
12 gauge with smokeless powder

#### BLANK CARTRIDGES

22 Short rim fire blank  
32 Smith & Wesson centre fire blank  
38 Smith & Wesson centre fire blank  
38 Special centre fire blank  
45 Colt centre fire blank

#### SHOT CARTRIDGES

22 Long Rifle 'Whiz-Bang' rim fire shot (No. 12 shot).  
44-40 Winchester shot (No. 7½ shot)—For I.X.L. and other shotguns but may be used in rifles designated 44-40 Win., 44 W.C.F., or 44 W.  
Note:—Not for use in revolvers.

#### COMPONENTS

C-I-L makes available a complete line of quality, hand-loading components. For an illustrated retail price guide contact your nearest C-I-L component dealer or write Canadian Industries Limited, Ammunition and Firearms, P.O. Box 10, Montreal, Que.

RANGE TABLE—VALUES SHOWN IN THIS TABLE ARE BASED ON A SIGHT HEIGHT 1½" ABOVE LINE OR BORE

Comparative Performance. Figures below are for a sight-setting of 100 yards and permit a comparison of trajectories up to 200 yards.

RECOMMENDED SIGHTING: ⊕ Indicates the most favourable sighting range in order to minimize the sighting problem at shorter and longer ranges.  
+ Indicates inches high; — Indicates inches low.

# 'Dominion Marksmen' program

Shooting is one of the most highly organized sports in Canada with regulating bodies at national, provincial and often municipal levels. At the same time, 'Dominion Marksmen' operates a nation-wide program of competitions without charge. Boy Scouts, civic and service clubs, veterans' organizations, police and fire departments, churches, community recreation departments, gun clubs, conservation groups and agencies—these and many other notable organizations sponsor shooting programs. Nearly all of them are affiliated with 'Dominion Marksmen'.

Write to 'Dominion Marksmen', P.O. Box 10, Montreal, for information on its competitions, booklets, free films, and answers to questions on the shooting sports.

Official competition targets, for use at all recognized ranges with pistols and small bore rifles, are available from the Shooting Federation of Canada, P.O. Box 635, Station B, Montreal. Write to the Shooting Federation of Canada for information and prices.

C-I-L supplies three targets for sighting-in rifles and informal shooting.

C-I-L 100 yard Sighting-In Target

C-I-L 25 yard Practice Target

C-I-L Good Luck Target

Dealers may purchase these targets through their distributors or directly from Dominion Marksmen, P.O. Box 10, Montreal.

**The 'Dominion Marksmen' program is available to residents of Canada only.**

# Now C-I-L 22's come in a unique new slide-out plastic tray.



## Heads up.

Think of the advantages. No fumbling or spilling. Simply slide out the tray and load up.

Cartridges are clean and easy to grasp. Bullet lubricant stays on the bullets, can't rub off on their brass cases.

Or on your trigger finger.

Shooting in competition? The "heads up" pack makes it especially easy to keep track of your shots. Ten rows, five shells to a row. You can't possibly lose count.

C-I-L's new plastic tray also protects lead

points from scuffing and scratching.

And there's no need to buy special loading and carrying blocks. You get one with every box. Free.

Use 'Imperial' high velocity 22's for pests and small game. 'Canuck' standard velocity for target work. And 'Match' and 'Pistol Match' for tournament shooting.

Try the new "heads up" tray pack. Only from C-I-L.

The picking is easy.



**AMMUNITION & FIREARMS**  
CANADIAN INDUSTRIES LIMITED